

**IN THE CLAIMS**

Please amend the claims as follows:

Claim 1 (Currently Amended): A screwless apparatus means for attaching a computer drive to a computer chassis, comprising:

a ~~mounting computer drive securing clip coupled to the computer chassis and having a~~ primary one or more flexible tab tabs; and

a ~~securing computer chassis mounting clip detachably coupled to the mounting clip,~~ wherein the securing clip is configured for selective engagement with the mounting clip and the computer drive, the securing clip having:

a securing pin engageable configured for selective engagement with a computer drive screw hole of the computer drive; and

a ~~secondary one or more flexible tab tabs configured to releaseably engage for~~ selective engagement with the primary one or more flexible tab tabs of the mounting clip.

Claim 2 (Canceled).

Claim 3 (Currently Amended): The apparatus as recited ~~screwless computer drive attachment means~~ as in claim 1, further comprising [[a]] an attachment means for attaching coupling the computer drive securing mounting clip to [[a]] the computer chassis.

Claim 4 (Currently Amended): A screwless apparatus means for attaching a computer drive to a computer chassis, comprising:

a securing clip; and

a ~~clip mounting feature clip coupled to the computer chassis,~~ the securing clip detachably coupled to the mounting clip and having:

at least two securing pins configured to fit through holes ~~present~~ on the computer chassis and into standardized screw holes ~~present~~ on the computer drive; and

a ~~primary~~ flexible tab ~~engageable~~ configured for selective engagement with a ~~secondary~~ corresponding flexible tab on the ~~clip~~ mounting feature clip of the computer chassis.

Claim 5 (Canceled).

Claim 6 (Canceled).

Claim 7 (Currently Amended): The apparatus as recited in claim ~~screwless computer drive attachments means as in Claim~~ 4, further comprising ~~[[a]]~~ an attachment means for ~~attaching~~ coupling the ~~clip~~ mounting features clip to the computer chassis.

Claim 8 (Currently Amended): The apparatus as recited in claim ~~screwless computer drive attachments means as in Claim~~ 4, wherein the ~~clip~~ mounting features ~~are~~ clip is formed from and as a ~~part~~ portion of the computer chassis.

Claim 9 (Currently Amended): A method ~~[[of]]~~ for assembling a computer drive to a computer chassis, comprising ~~the steps of~~:

positioning a securing clip, the securing clip having a securing pin and ~~a secondary~~ one or more flexible tab tabs, through a pin alignment hole ~~present~~ on the computer chassis; and

selectively engaging the ~~secondary~~ one or more flexible tab tabs with ~~a primary~~ one or more flexible tab tabs ~~present on a clip mounting feature~~ clip, wherein the ~~clip mounting feature~~ clip is affixed to the computer chassis, and the securing clip is detachably coupled to the mounting clip.

Claim 10 (New): The apparatus as recited in claim 1, wherein the one or more flexible tabs of the mounting clip comprise a pair of parallel flexible arms movable relative to each other, the one or more flexible tabs of the securing clip comprise a pair of parallel flexible arms

movable relative to each other, and the flexible arms of the mounting clip define an area to resiliently receive the flexible arms of the securing clip.

Claim 11 (New): The apparatus as recited in claim 1, further comprising an attachment means for detachably coupling the securing clip to the computer drive.

Claim 12 (New): The apparatus as recited in claim 1, wherein the securing pin is formed from and extending as a portion of the securing clip.

Claim 13 (New): A screwless apparatus for attaching a computer drive to a computer chassis, comprising:

- a mounting portion on the computer chassis, wherein the mounting portion has one or more tabs; and

- a securing clip detachably coupled to the mounting portion, wherein the securing clip is configured for selective engagement with the mounting portion and the computer drive, the securing clip having:

- a securing pin configured for selective engagement with a screw hole of the computer drive; and

- one or more flexible tabs configured for selective engagement with the one or more tabs of the mounting clip.